



EU-TYPE EXAMINATION CERTIFICATE

The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.



Certificate N° 0075/2852/162/10/20/2593

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment :

Manufacturer : Sociedad comercial de marketing M&V Spa.
Americo Vespucio 1385, Bod. 34-35 Quilicura, Santiago
Chile

Description

PPE Type : protective glove against mechanical risks
Product reference : CUT P550
Article code : ECU870-ECU880-ECU800
Glove description : 13G high density nylon liner, PU plam coating
Available sizes : 7(ECU870), 8(ECU880), 9(ECU800)
Pictures :



Americo Vespucio 1385,
Bod. 34-35 Quilicura,
Santiago – Chile

Reference standard :

Levels of performance / class of protection

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.
« 0 » indicates that the glove falls below the minimum performance level for the individual hazard.

EN ISO 21420:2020

-

EN 388:2016 + A1:2018

4 3 4 2 C

At the date of certificate the product is in compliance with Annex XVII of REACH regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file and the Instruction for Use index 01 dated from OCTOBER 2020

NOTA : Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425. Any marking on the PPE which is not concerned by the Regulation (UE) 2016/425, is not covered by this certificate.

Issued in Lyon by
Maxence DREVET
Project Certification Manager

Date of first issue : 20 October 2020
End of validity date : 20 October 2025



In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related to Personal Protective Equipment and repealing the Directive 89/686/EEC.



Accreditation n° 5-0594
Scope available on:
www.cofrac.fr

www.ctcgroupe.com

cemarking@ctcgroupe.com

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France
Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - ctclyon@ctcgroupe.com

Comité Professionnel de Développement Économique (CPDE) Cuir: Chaussure Maroquinerie Ganterie
Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

Sociedad comercial de marketing M&V Spa.

MANUFACTURER'S TECHNICAL FILE TO THE **PPE REGULATION 2016/425**

Reference of the product	:	CUT P550
Article code	:	ECU870-ECU880-ECU800
Technical file index	:	01
Last update	:	OCTOBER 2020

GLOVE DESCRIPTION

General glove description :

13G high density nylon liner, PU plam coating

This glove is designed against mechanical risks.

Type of coating finish: smooth

Visual description (picture back and palm sides) :



Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)

		Applicable	Covered by
§1	Requirements defined in the Annex II §1 are applicable to all PPE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§1.4	Manufacturer's instructions and information is available	<input checked="" type="checkbox"/>	<input type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input type="checkbox"/> Marking
§2.5	PPE which may be caught up during use	<input checked="" type="checkbox"/>	<input type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input type="checkbox"/> Marking
§2.12	PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§3.3	The PPE is intended to protect against mechanical injuries	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking

Glove constitution :

	Reference	Color	Material	Surfacic mass (g/m ²)	Gauges	Thickness
Palm		BLACK	PU			0.85-1.5MM
		GREY/WHITE	high density nylon	350g/m2	13Gauges	
Back		GREY/WHITE	high density nylon	350g/m2	13Gauges	
Cuff		GREY/WHITE	high density nylon/elastics	520g/m2	13Gauges	
Binding		red/yellow /brown	Polyester			

PROTECTION SCOPE

This glove meets the essential requirements of the Personal Protective Equipment Regulation 2016/425.
This glove is designed against mechanical risks.
It is a category II product.

GENERAL REQUIREMENTS**Standard EN ISO 21420:2020**

Dexterity : 5

Available size range: 7(ECU870), 8(ECU880), 9(ECU800)

The hand sizing system is based on hand circumference and hand length as defined in EN ISO 21420 Annex B table B.1

SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

« 0 » indicates that the glove falls below the minimum performance level for the individual hazard.

Mechanical hazard EN 388 : 2016 + A1 : 2018

Protection offered	Performance levels
Abrasion resistance	4
Blade cut resistance	3
Tear strength resistance	4
Puncture resistance	2
Cut Resistance method (EN ISO 13997)	C
Impact Protection	-

The levels of performance have been measured on the palm


TEST REPORTS

Laboratory	CTC	Other
EN ISO 21420 + innocuousness	S200605789_1 S191216062_1 (DMFu) S1711114552_1 S1711114556_1 S1711114558_1	
EN 388	S200403130_1 S200403132_1 S200403133_1 S200403134_1 S200403135_1	
Other	S200403136_1(ANSI CUT)	

MARKING - PACKAGING

Information printed on the glove :

Logo of Manufacturer :

Logo 

Glove's reference : CUT P550

Article Code : ECU870-ECU880-ECU800

Size indicator

Pictograms related to risks against which protection is offered with performance levels

Information pictogram

Address of Manufacturer :

Date of Manufacture (month/year) and/or serial/batch number :

Date of obsolescence (month/year) if applicable:

Marking example :



Americo Vespucio 1385,
Bod. 34-35 Quilicura,
Santiago – Chile

Method of marking on the glove :

HEAT TRANSFER AND SEWN LABEL

Packaging :

ONE DOZEN PER BIG POLYBAG, 6 DOZEN PER CARTON

PPE subject to ageing :

The design performance can not be significantly affect by ageing when stored in appropriate conditions (humidity, temperature, clean , ventilated, light).

Cleaning:

The gloves are not washable.

MEANS OF CONTROL

We make all inspection based on the acceptance sampling. Materials Conduct inspection on all incoming raw materials and accessory materials. Conduct size checking on all component parts. Conduct visual inspection on defective parts. Checking missing parts before sending to sewers. Inspected for defects, gauged for proper thickness. Quality checking on sewing in areas of appearance, sizing(based on the EN ISO 21420 sizing standard), weight,labelling, stitches, seaming and component positioning. After coating we will make the sizing, weight,smell,PH,chemic test and cutting ,abrasion test (based on EN388 standard) every one year. Finished Products perform random checking(acceptance sampling) before shipment. Quality control is performed under ISO 9001.

DAS CERTIFICATION



**Quality Management System
Certificate of Approval**

This is to certify that the QMS of

Nantong Qiangsheng Safety Protection Technology Incorporated Company

Unified Social Credit Code: 913206237910733121

No.118, Jialingjiang Road, Rudong Economic Development Zone, Jiangsu

Has been assessed and found to meet the requirements of
GB/T 19001-2016/ISO 9001:2015

This certificate is valid for the following scope of operations:

Manufacture and Services of Special Fiber Gloves, Nylon Gloves, Yarn Gloves, etc. Series Impregnated Gloves for Safety Protection, Sales of Special Leather Gloves for Safety Protection

Date of Certificate Issue: Jul, 16, 2020

Certificate Valid Until: Jul, 15, 2023

Certificate Number: **QM042007089**

Initial Certificate Issue: Jul, 21, 2017

The validity of the registration will be continued only when the organisation passes annual surveillance audit.
Check the validity of the certificate at www.cnca.gov.cn or www.das-china.com.

Surveillance Audit Pass Mark:



Authorised by  Chief Executive

Shanghai DAS Certification

Address: 305, Tower 2, Guosun Center, No. 388, Zhongliang Road, Shanghai, P.R.China, 200062
Tel: 0086-21-62773910 Fax: 0086-21-62080218
Web: <http://www.das-china.com>
Email: info@das-china.com

UK Head Office: DAS Certification Limited (On Behalf of SH)
Registered (Holding) Limited
ADD: Registration House, 220 Church Street,
Rushden, Northamptonshire, NN10 9YT, UK
Tel: +44 (0)1933 361899
Email: info@dascertification.co.uk
Web: www.dascertification.co.uk
Company Number: 07858067





INSTRUCTION FOR USE

Sociedad comercial de marketing M&V Spa.

Americo Vespucio 1385, Bod. 34-35 Quilicura, Santiago
Chile

Glove reference : CUT P550

Article code: ECU870-ECU880-ECU800

User notice index : 01

Last update : OCTOBER 2020



Americo Vespucio 1385,
Bod. 34-35 Quilicura,
Santiago – Chile



Glove description :

13G high density nylon liner, PU plam coating

This is a Personal Protective Equipment belonging to the category II.

It meets the requirements of the PPE Regulation 2016/425 applicable from April 21th, 2018 : innocuousness, comfort, solidity.

It has been subject to a UE-type Examination performed by :

C.T.C. (0075)
4, rue Hermann Frenkel
69367 LYON Cedex 07
FRANCE

Applicable standards :

The glove meets the requirements of the standard EN ISO 21420 : 2020 « Protective Gloves - General requirements and test methods ».

Dexterity: 5

Available Size Range: 7(ECU870), 8(ECU880), 9(ECU800)

The hand sizing system is based on hand circumference and hand length as defined in EN ISO 2140 Annex B.

Moreover, this glove has been designed for the following applications :

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

« 0 » indicates that the glove falls below the minimum performance level for the individual hazard.

Application :

Mechanical hazard - EN 388:2016 +
A1:2018



4 3 4 2 C

Levels of performance



Abrasion resistance	4	(on 4 maxi)
Blade cut resistance	3	(on 5 maxi)
Tear resistance	4	(on 4 maxi)
Puncture resistance	2	(on 4 maxi)
Cut Resistance method (EN ISO 13997)	C	(A to F)
Impact Protection		

Read carefully the instructions for use provided with the product

Protection limit :

Users should be warned that gloves should not be worn when there is a risk of entanglement by moving parts of machines.

This model does not contain any substances at levels that are known to, or suspected to, adversely affect user hygiene or health.

The protection against risks or hazards which are not mentioned in this document is not warranted.

The levels of performance mentioned are only valid for the palm of the glove.

These levels of performance are obtained from the tests done according to conditions defined by the applicable standards.

The levels of performance mentioned are only valid for new gloves, not washed, nor regenerated.

Before use, the glove shall be visually controlled, in case of deterioration the gloves must be scrapped (abrasion, cut, tear, ...).

No flame protection is claimed. This glove shall not be in contact with naked flame.

For gloves with two or more layers the overall classification does not necessarily reflect the performance of the outermost layer.

The levels of performance against mechanical risks mentioned are only valid for the palm of the glove (except Impact protection).

Storage and cleaning notice

Keep in its original packaging, under ordinary temperature and humidity conditions and in clean, covered and ventilated premises.

The gloves are not washable.

PPE subject to ageing :

The design performance can not be significantly affect by ageing when stored in appropriate conditions (humidity, temperature, clean, ventilated, light).

Declaration of conformity :

Available on : www.exoset.cl