

EU-TYPE EXAMINATION CERTIFICATE



The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.

Certificate N° 0075/2852/162/08/23/1381

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment:

SOCIEDAD COMERCIAL DE MARKETING M&V SPA Manufacturer:

Av. Amercio Vespucio 1385, Bodega 34-35, Quilicura, Santiago

CHILE

Description

protective glove against mechanical risks **PPE Type:**

Product reference: CUT TPR PALMA LATEX

Article code: ECR009, ECR010

Glove description: 13 GAUGE BLACK MIXED HPPE (HIGH PERFORMANCE POLYETHYLENE)/ NYLON/

SPANDEX/ GLASS FIBER LINER WITH LATEX SANDY FINISH, TPR PADS ON HAND

BACK, THUMB CROTCH REINFORCEMENT GLOVES

Available sizes: ECR009(9), ECR010(10)

Pictures:





Reference standard:

Levels of performance / class of protection

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material. « 0 » indicates that the glove falls below the minimum performance level for the individual hazard.

EN ISO 21420:2020

EN 388:2016 + A1:2018

3 X 4 3 D P

At the date of the certificate, the product is in compliance with Annex XVII of REACh regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file and the user instructions index 01 dated from AUGUST 2023.

NOTA: Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425. Any marking on the PPE which is not concerned by the Regulation (UE) 2016/425, is not covered by this certificate.

Issued in Lyon by Séverine AUBERT Certification team leader



Date of first issue: 29 August 2023 Date of end of validity: 29 August 2028



MARKIN





cofrac Accreditation n# 5-0594 Scope available on: www.cofrac.fr

In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related to Personal Protective Equipment and repealing the Directive 89/686/EEC.

SOCIEDAD COMERCIAL DE MARKETING M&V SPA

MANUFACTURER'S TECHNICAL FILE TO THE PPE REGULATION 2016/425

Reference of the product : CUT TPR PALMA

LATEX

Article code : ECR009, ECR010

Technical file index : 01

Last update : AUGUST 2023

IDENTIFICATION

Reference of the product: : CUT TPR PALMA LATEX

Article code: : ECR009, ECR010

Basic Model

Technical file index: : 01

Last update: : AUGUST 2023

Manufacturer:

SOCIEDAD COMERCIAL DE MARKETING M&V SPA

Av. Amercio Vespucio 1385, Bodega 34-35, Quilicura, Santiago CHILE

tel: +56226233381

GLOVE DESCRIPTION

General glove description and intended use:

13 GAUGE BLACK MIXED HPPE (HIGH PERFORMANCE POLYETHYLENE)/ NYLON/ SPANDEX/ GLASS FIBER LINER WITH LATEX SANDY FINISH, TPR PADS ON HAND BACK, THUMB CROTCH REINFORCEMENT GLOVES

This glove is designed against mechanical risks.

Type of coating finish: sandy

Visual description (picture back and palm sides):



Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)				
		Applicable	Covered by	
§1	Requirements defined in the Annex II §1 are applicable to all PPE	×	☑ Standard☑ Instruction for use☑ Marking	
§1.4	Manufacturer's instructions and information is available			
§2.5	PPE which may be caught up during use			
§2.12	PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety	\boxtimes	☑ Standard☑ Instruction for use☑ Marking	
§3.1.1	The PPE is intended to protect against impact caused by falling or ejected objects and collisions of parts of the body with an obstacle		StandardInstruction for useMarking	
§3.3	The PPE is intended to protect against mechanical injuries		StandardInstruction for useMarking	

Glove constitution:

	Reference	Color	Material	Surfacic mass (g/m²)	Gauges	Thickness
Palm		BLACK	LATEX			1mm
		black/white	HPPE (HIGH PERFORMANCE POLYETHYLENE)/ NYLON/ SPANDEX/ GLASS FIBER	450(g/m²)	13	
	Thumb crotch reinforcement	black	PVC (POLYESTER BACKING)			
Back			HPPE (HIGH PERFORMANCE POLYETHYLENE)/ NYLON/ SPANDEX/ GLASS FIBER			
	back reinforcement/ fingers	BLACK/ ORANGE	TPR (THERMOPLASTIC RUBBER)	450(g/m²)	13	28mm
Cuff		White/black	HPPE (HIGH PERFORMANCE POLYETHYLENE)/ NYLON/ SPANDEX/ GLASS FIBER/ ELASTIC			
Binding		Black	polyester			

PROTECTION SCOPE

This glove meets the essential requirements of the Personal Protective Equipment Regulation 2016/425.

This glove is designed against mechanical risks.

It is a category II product.

GENERAL REQUIREMENTS

Available size range: ECR009(9), ECR010(10)

The hand sizing system is based on hand circumference and hand length as defined in EN ISO 21420 Annex B table B.1

SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

- « X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.
- « 0 » indicates that the glove falls below the minimum performance level for the individual hazard.

Mechanical hazard EN 388:2016 + A1:2018

Protection offered	Performance levels
Abrasion resistance	3
Blade cut resistance	X
Tear strength resistance	4
Puncture resistance	3
Cut Resistance method (EN ISO 13997)	D
Impact Protection	Р

Impact protection is claimed on the following areas: Back metacarpal knuckles
The levels of performance have been measured on the palm (except Impact Protection).

TEST REPORTS

Laboratory	CTC	Other
EN ISO 21420 + innocuousness	S230503755_1 D220610403_1 (DMFu) S190607358_1	
EN 388	S230503755_1	

MARKING - PACKAGING

Information printed on the glove :

Logo of Manufacturer:

Logo (€

Glove's reference: CUT TPR PALMA LATEX

Article Code: ECR009, ECR010

Size indicator

Pictograms related to risks against which protection is offered with performance levels

Information pictogram

Address of Manufacturer:

Date of Manufacture (month/year) and/or serial/batch number:

Date of obsolescence (month/year) if applicable:

Marking example :



Method of marking on the glove:

print on the back of glove

Packaging suitable for transport:

one pair/card; 12 pairs/polybag; 72 pairs/carton

PPE subject to ageing :

The design performance can not be significantly affect by ageing when stored in appropriate conditions (humidity, temperature, clean, ventilated, light).

Cleaning instructions:

The gloves are not washable.

MEANS OF CONTROL

- 1. Raw material: we have the specific person who in charge of purchasing. They supervise all the purchasing procedure in supplier's site to insure the quality of raw material can reach the requirements of EU Regulation.
- 2. Process: The production is divided by 6 main processes: Knitting, binding, dipping, drying, printing and packaging. 2 supervisors for each process are fixed to do the checking, daily records and production details are strictly controlled. Every operator has a unique working serial number which will be shown on the products to know who is responsible to the products, then the responsibility will be chased once occurred the problem on products. Finally ,we will send the samples to CTC test EN388, EN ISO 21420...each year
- 3. The management of knitting:

The gloves will be knitted based on the client's requirements, after the gloves are knitted, the surface should be controlled as clean, no dirt, no defect; the finished products are placed separately in accordance with different colors and sizes; each dozen is binded with elastic bands, and sticked with the working serial number.

4. The management of binding:

The binding is done in according with the principle of smooth, straight, compact and threadless. After binding, the redundant thread for each glove has to be cutted in order to make the binding trim and perfect.

5. The management of dipping:

All gloves should be fully encased on the mould, especially in the space of finger, to avoid any interspace between the mould and glove. The operation of dipping is made according to client's requirement, the products must be dipped neither too deep nor too fleet, and the moulds should not shaked to avoid asymmetric thickness dipping material.

6. The management of drying and warming:

In the mass production, the constant temperature of the drying oven must be fixed, to avoid the gloves being still wet after drying or over dried to turn yellow; the speed of the mould in the route of drying oven is also fixed to insure the same quality in each batch.

7. The management of printing:

When doing printing of the client's marking or our own logo on the glove, the printing marking must be clear, trim, and not asymmetric. When the operator doing the printing, the eye sight must keep straight with the position of marking, and the printing mould must be perpendicular with the glove to insure the quality of printing.

8. The management of packaging:

Packaging is performed in accordance with client's requirement, we check if the size of the glove and the printing match the specific package before packaging, each glove must be well folded and put in order when packaging. If there is any filtering dipping, sticking dipping or peeling dipping products, they are forbidden to be packed, and the operator's responsibility will be chased by the working serial number shown on the glove.

Moreover, regarding the different products for different client, the products will be strictly separate to avoid mixing up. For the different client, even for the same products, we will setup separate groups to handle each client's order. At the same time, the number of packaging is well controlled according to the contract, less package or more packaging is forbidden.

INSTRUCTION FOR USE

SOCIEDAD COMERCIAL DE MARKETING M&V SPA

Av. Amercio Vespucio 1385, Bodega 34-35, Quilicura, Santiago

CHILE

Glove reference: CUT TPR PALMA LATEX

Article code: ECR009, ECR010

User notice index: 01

Last update: AUGUST 2023



Glove description:

13 GAUGE BLACK MIXED HPPE (HIGH PERFORMANCE POLYETHYLENE)/ NYLON/ SPANDEX/ GLASS FIBER LINER WITH LATEX SANDY FINISH, TPR PADS ON HAND BACK, THUMB CROTCH REINFORCEMENT GLOVES

This glove is a personal protective equipment belonging to the category II.

It meets the requirements of the PPE Regulation 2016/425: innocuousness, comfort, solidity.

It has been subject to a UE-type Examination performed by :

C.T.C. (0075) 4, rue Hermann Frenkel 69367 LYON Cedex 07 FRANCE

The glove meets the requirements of the standard EN ISO 21420:2020 « Protective Gloves - General requirements and test methods ».

Dexterity: 5

Available size range: ECR009(9), ECR010(10)

The hand sizing system is based on hand circumference and hand length as defined in EN ISO 21420 Annex B.

Information about marking

- « X »indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.
- « 0 » indicates that the glove falls below the minimum performance level for the individual hazard.



The CE marking means that this product meets the requirements of the regulation 2016/425

Mechanical hazard - EN 388:2016 + A1:2018



Abrasion resistance	3	(on 4 maxi)
Blade cut resistance	Х	(on 5 maxi)
Tear resistance	4	(on 4 maxi)
Puncture resistance	3	(on 4 maxi)
Cut Resistance method (EN ISO 13997)	D	(A to F)
Impact Protection	Р	1



Read carefully the instructions for use provided with the product

Protection limit:

Users should be warned that gloves should not be worn when there is a risk of entanglement by moving parts of machines.

This model does not contain any substances at levels that are known to, or suspected to, adversely affect user hygiene or health.

The protection against risks or hazards which are not mentioned in this document is not warranted.

These levels of performance are obtained from the tests done according to conditions defined by the applicable standards.

The levels of performance mentioned are only valid for new gloves, not washed, nor regenerated.

Contains natural rubber latex, which could cause allergic reactions, including anaphylactic choc.

Before use, the glove shall be visually inspected for any defect or imperfections. In case of deterioration, the gloves must be scrapped (abrasion, cut, tear, ...).

No flame protection is claimed. This glove shall not be in contact with naked flame.

For gloves with two or more layers the overall classification does not necessarily reflect the performance of the outermost layer.

The levels of performance against mechanical risks are only valid for the palm of the glove (except Impact protection).

Impact protection is claimed on the following areas: Back metacarpal knuckles

Impact protection does not apply to the finger.

Storage and cleaning notice

Keep in its original packaging, under ordinary temperature and humidity conditions and in clean, covered and ventilated premises.

The gloves are not washable.

PPE subject to ageing :

The design performance can not be significantly affect by ageing when stored in appropriate conditions (humidity, temperature, clean, ventilated, light).

Declaration of conformity:

Available on : https://www.exoset.cl/